

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (currently amended) A ceiling mounted lift, comprising:
 - a support frame housing a double fabric panel drive assembly having a first panel having a width that defines a first plane, and a second panel that defines a second plane that is neither parallel nor co-planar ~~not co-planar~~ with the first plane, the panels cooperating to raise and lower a lifting platen; and
 - a stabilizer having a first arm and a second arm, such stabilizer disposed between the support frame and the lifting platen, and disposed relative to the panels to prohibit motion in all but one plane.
2. (original) The ceiling mounted lift of claim 1, wherein the stabilizer comprises a bearing at a pivot joining the first and second arms.
3. (original) The ceiling mounted lift of claim 2, further comprising a first hardened washer on a side of the bearing and a second hardened washer on an opposing side of the bearing.
4. (original) The ceiling mounted lift of claim 3, wherein all movement of the stabilizer is substantially planar.
5. (original) The ceiling mounted lift of claim 1, further comprising a hole in the stabilizer and a tie wrap.
6. (original) The ceiling mounted lift of claim 1, wherein the drive mechanism comprises a double fabric drive roller.
7. (original) The ceiling mounted lift of claim 1, further comprising a wireless transceiver that cooperates with a controller to operate the drive mechanism.
8. (original) A home appliance center including the lift of claim 7.
9. (original) The ceiling mounted lift of claim 1, further comprising a home theatre component.

10. (original) The ceiling mounted lift of claim 9, wherein the home theatre component is at least one of a projector and a plasma screen.

11. (original) The ceiling mounted lift of claim 1, further comprising a device lowered for maintenance.

12. (original) The ceiling mounted lift of claim 11, wherein the device lowered for maintenance is at least one of a light fixture and a message board.

13. (currently amended) A ceiling mounted lift, comprising:

a support frame housing a double fabric panel drive assembly having a first panel having a width that defines a first plane, and a second panel that defines a second plane that is neither parallel nor co-planar ~~not co-planar~~ with the first plane, the panels cooperating to raise and lower a lifting platen using a fabric drive roller; and the support frame housing sized and dimensioned to stow substantially above a ceiling surface.

14. (original) The ceiling mounted lift of claim 13 having a side by side dimension such that the lift can be mounted between ceiling joists spaced 16 inches on center.

15. (original) An installed ceiling mounted lift comprising the lift of claim 13 having a side by side dimension that is at least 2 inches less than a space between the ceiling joists.

16. (previously presented) An installed ceiling mounted lift, comprising:

a support frame housing a drive mechanism that operates to raise and lower a lifting platen using a fabric drive roller having a fabric panel sufficiently wide to substantially prevent movement in a horizontal plane; and a ceiling panel held to the lift by a spring loaded bolt.

17. (original) A home theatre system comprising the lift of claim 1.

18. (original) The lift of claim 16 having a lift distance of at least 50 feet.

19. (original) The lift of claim 16 having a maximum payloads of at least 250 pounds.

20. (currently amended) A ceiling mounted lift having a double fabric panel drive assembly wherein such lift is sized and dimensioned to stow substantially above a ceiling surface and between joists spaced 16 inches on center, and wherein the panel drive assembly includes a first panel having a width that defines a first plane, and a second panel that defines a second plane that is neither parallel nor co-planar ~~not co-planar~~ with the first plane.

21. (currently amended) A ceiling mounted lift having:

a double fabric panel drive assembly with a first panel having a width that defines a first plane, and a second panel that defines a second plane that is neither parallel nor co-planar ~~not co-planar~~ with the first plane;

a stabilizer disposed in a third different plane; and

the planes oriented such that the panels of the panel drive and the stabilizer cooperate to ~~to~~ prevent motion in all but one plane.

22. (previously presented) The lift of claim 21 wherein the first and second panels are coupled to a lifting platen, and are sufficiently wide to provide significant horizontal stabilization to the platen.